

111 Amendment
10/721,032 (60018300-0010)
Page 2

IN THE CLAIMS:

1 - 20. (Canceled)

21. (Previously Presented) A method of performing a medical procedure, said method comprising:

providing a radiation-shielding cubicle having an interior defining a medical personnel region and including a first wall having an opening therein;

locating the cubicle with respect to an x-ray table so a portion of the x-ray table extends through the opening into the interior of the cubicle; and

separating medical personnel from an x-ray emitter disposed outside of the cubicle using the first wall to shield the medical personnel from radiation emitted by the x-ray emitter.

22. (Previously Presented) A method in accordance with claim 21 further comprising joining the x-ray table to the cubicle using a radiation-shielding flexible interface.

23. (Previously Presented) A method in accordance with claim 22 wherein said joining the x-ray table to the cubicle using a radiation-shielding flexible interface comprises joining the x-ray table to the first wall using the radiation shielding flexible interface.

24. (Previously Presented) A method in accordance with claim 21 further comprising sealing the opening in the first wall using a flexible radiation-resistant skirt.

25. (Previously Presented) A method in accordance with claim 21 further comprising circumferentially joining the x-ray table to the cubicle using a flexible radiation-resistant skirt.

111 Amendment
10/721,032 (60018300-0010)
Page 3

26. (Previously Presented) A method in accordance with claim 21 further comprising attaching a radiation-shielding screen to the x-ray table so the radiation-shielding screen covers a portion of a patient supported by the x-ray table and covers a portion of a top surface of the x-ray table.

27. (Previously Presented) A method in accordance with claim 26 further comprising joining the first wall to the radiation-shielding screen using a flexible radiation-resistant skirt.

28. (Previously Presented) A method in accordance with claim 26 wherein the radiation-shielding screen has at least one port for facilitating access to the patient, said method further comprising:

inserting procedural equipment through the port to access the patient with the procedural equipment; and
performing a medical procedure on the patient using the procedural equipment.

29. (Previously Presented) A method in accordance with claim 28 further comprising positioning a cloak over the port to create a substantially radiation-resistant seal over the port and around the procedural equipment.

30. (Previously Presented) A method in accordance with claim 26 wherein the radiation-shielding screen has at least one port for facilitating at least one of connection and access to controls for at least one of the x-ray table, the x-ray emitter, and a catheterization system monitor, said method further comprising accessing the controls using the port to control at least one of the x-ray table, the x-ray emitter, and the catheterization system monitor.

31. (Previously Presented) A method in accordance with claim 21 further comprising:

111 Amendment
10/721,032 (60018300-0010)
Page 4

detecting radiation levels within the radiation-shielding cubicle; and
terminating operation of the x-ray emitter when the detected radiation
levels are above a predetermined level.

32. (Previously Presented) A method in accordance with claim 21 further
comprising monitoring portions of the patient located outside the radiation-shielding
cubicle from inside the radiation-shielding cubicle using a video camera.

33. (Previously Presented) A method in accordance with claim 21 further
comprising communicating with the patient from inside the radiation-shielding cubicle
using a two-way microphone system.

34. (Previously Presented) A method of using a radiation protection system
comprising an x-ray table having a top surface for supporting a patient and a radiation-
shielding screen attached to the x-ray table for covering a portion of the patient and a
portion of the top surface of the x-ray table, wherein the radiation-shielding screen
includes at least one port, said method comprising:

extending the radiation-shielding screen over a portion of the patient
supported by the top surface of the x-ray table;

Inserting procedural equipment through the port to access the patient with
the procedural equipment; and

performing a medical procedure on the patient using the procedural
equipment.

35. (Previously Presented) A method in accordance with claim 34 wherein the
radiation-shielding screen comprises a vascular access drape having at least one port
for accessing the patient and a circumferential pleated portion, said method further
comprising positioning the circumferentially pleated portion of the vascular access drape
so the drape is operatively connected to the x-ray table to form a radiation-resistant
seal.

111 Amendment
10/721,032 (60018300-0010)
Page 5

36. (Previously Presented) A method in accordance with claim 34 wherein said extending the radiation-shielding screen over a portion of the patient supported by the top surface of the x-ray table comprises positioning the radiation-shielding screen so the port is located over one of the right and left femoral vascular access regions of the patient, and said inserting procedural equipment through the port to access the patient with the procedural equipment comprises inserting a catheter through the port to access one of the right and left femoral vessels of the patient with the catheter.

37. (Previously Presented) A method in accordance with claim 34 wherein the radiation protection system further comprises at least one radiation-closing cloak having a re-closable radial slit and a central orifice, said method further comprising positioning the radiation-closing cloak over the port and around the procedural equipment passing through the port to create a substantially radiation-resistant seal over the port and around the procedural equipment.

38. (Previously Presented) A method in accordance with claim 34 wherein the radiation protection system further comprises at least one radiation-closing cloak sized for positioning over the port, said method further comprising positioning the cloak over any unused ports to create radiation-resistant seal over the port.

39. (Previously Presented) A method of performing a medical procedure, said method comprising:

- providing a radiation-shielding wall having an opening therein;
- locating the wall with respect to an x-ray table so a portion of the x-ray table extends through the opening;
- joining the x-ray table to the wall using a radiation-shielding flexible interface;
- sealing the opening in the first wall using a flexible radiation-resistant skirt;
- and

111 Amendment
10/721,032 (60018300-0010)
Page 6

using the wall to separate medical personnel located adjacent a first side of the wall from an x-ray emitter disposed adjacent a second side of the wall opposite the first side to shield the medical personnel from radiation emitted by the x-ray emitter.

40. (Previously Presented) A method of using a radiation protection system comprising an x-ray table having a top surface for supporting a patient, a radiation-shielding screen attached to the x-ray table for covering a portion of the patient and a portion of the top surface of the x-ray table, and controls for controlling the system, wherein the radiation-shielding screen includes at least one port, said method comprising:

extending the radiation-shielding screen over a portion of the patient supported by the top surface of the x-ray table;

accessing the controls through the port; and

controlling the system using the controls.

41. (Currently Amended) A radiation protection system for shielding medical personnel from radiation emitted by an x-ray emitter during radiological procedures, said system comprising:

a table sized and shaped for supporting a patient;

a radiation-shielding barrier positionable between said medical personnel and the x-ray emitter for shielding the medical personnel from x-ray radiation emitted from the x-ray emitter; and

a radiation-shielding screen connected to the barrier and attached to the table, said radiation-shielding screen being positionable between said medical personnel and the patient for shielding the medical personnel from x-ray radiation emitted from the patient.

42. (Previously Presented) A radiation protection system as set forth in claim 41 further comprising a radiation-shielding interface connecting the radiation-shielding barrier and the radiation shielding screen.

111 Amendment
10/721,032 (60018300-0010)
Page 7

43. (Previously Presented) A radiation protection system as set forth in claim 41 wherein the barrier comprises a substantially planar wall.

44. (Previously Presented) A radiation protection system as set forth in claim 41 wherein the barrier comprises a cubical sized and shaped for housing said medical personnel.

45. (Canceled)

46. (Currently Amended) A method for shielding medical personnel from radiation emitted by an x-ray emitter during radiological procedures, said method comprising:

shielding medical personnel from x-ray radiation emitted from the x-ray emitter by positioning a radiation-shielding barrier between said medical personnel and the x-ray emitter;

shielding the medical personnel from x-ray radiation emitted from ~~[[the]]~~a patient by positioning a radiation-shielding screen between said medical personnel and the patient;

attaching the screen to a table for supporting the patient; and
connecting the screen to the barrier.